
Fantasy Themed Book Nook Assembly Instructions




For Assembly, you additionally need: wood glue, adhesive tape, file (the thickness of plywood in production sometimes exceeds the declared one, so rare cases parts may require correction).




The kit includes:

- 1 -8 Mountain layers
- 9 Left Box side 10 Right Box side 11 Back wall
- 12. Box ceiling

- 13, Box floor
 14 Box Floor layer A
 15, Box Floor layer B
 16. Box Frame, Lettering
- and decorations.
- 17. Details (Trees, Gollum, Balrog Face, Monster, Stones)




Glue the left wall, floor and box ceiling together (parts 9, 11 13)




2.

3.


Secure the sides with tape so that they don't fall apart when dry.




Push the light strip through the hole in the back wall and glue it with transparent tape as shown in the picture. This light will illuminate the Balrog back.



Glue layers A and B to the floor so that they are close to the back wall and lie flat. Layer B with cutouts and numbers is on top.



Glue the red background to the back of element 1. Glue the parts of the Balrog's face together and glue them to the front of element 1 so that the red background is also visible through the mouth opening.





Glue the paw detail to element 2


INPORTANT

In the following steps, you will create a scene illumination.

You can come up with your own lighting scheme. This diagram is given as an example. I recommend hiding the light bulbs behind the details of the scene to create the effect of a deep illumination.










Pull out the free part of the light strip under part 1 before gluing it into the hole in the floor with the same number 1. Tape 1-2 light bulbs according to the drawing.

Stretch the light strip under the next element (element 2 for the hole 2), glue 1 - 2 light bulbs on this layer with tape.

In this way, glue and light up all the layers of the mountain and Balrog. Glue the last part of the light strip according to the drawing.








Glue the side wall, then the ceiling, and then the frame with the decorations and the inscription.

<u>Secure the frame with tape at the time of drying.</u>



Secure the entire box and the external parts with tape while the glue dries.

After a couple of hours, remove the tape and enjoy the result!

